

KM-1635/KM-2035

MONOCHROME A3 DIGITAL COPIERS WITH PRINTING OPTION

► print ► copy ► scan ► fax

PRODUCTIVE WORKGROUP COPIERS WITH MORE INSIDE THAN MEETS THE EYE



The user-friendly display (LED + 2-line LCD) offers quick access to all digital features.



Fill trays less frequently and use multiple paper types by adding paper capacity of up to 1,250 sheets.

The optional GDI functionality allows printing from any Windows PC.



 **KYOCERA**

DO THAT LITTLE BIT EXTRA, NOW THAT THERE'S THE OPTION

PRODUCTIVITY LEADS THE WAY TO GROWTH

The initial investment in a digital system is just the beginning. Only too often, limited reliability and productivity increase indirect costs. The KM-1635 and KM-2035 aren't only affordable, they are designed with durable, long-life components and require minimal maintenance. Combined with powerful functions, flexible paper handling and the GDI printing option, they provide perfect support – just what a growing business might appreciate on its way to greater things.

LET THE DIGITAL COPIER DO THE WORK FOR YOU

Amongst the KM-1635 and KM-2035 intelligent digital copier functions are 2-in-1/4-in-1 features that condense information for presentations and provide an overview of multiple documents on one page. Other features include cost-saving EcoCopy that uses reduced amounts of toner and productivity-enhancing functions such as automatic paper selection, scan-once-print-many and electronic rotate sort.



User-friendly display: LED + 2-line LCD

This informative and easy-to-operate display offers quick access to digital features and keeps you fully informed of progress.



Product depicted includes optional extras

KM-1635/KM-2035

No one has time to wait on a copier to get ready for work. With a class-leading first copy out time of 5.9 seconds, Kyocera A3 monochrome multifunctional systems get moving fast. In the meantime, everyone can get on with other things, like deciding whether to copy images or text, take advantage of double-sided printing or use different weights/colours of paper for different documents. These are a few of the requests that the KM-1635 and KM-2035 handle with ease. As an added bonus the GDI printing option turns your digital copier into an affordable printer. This means you have all the flexibility and productivity you need to keep up with the pace of modern business.



Duplex functionality

Optional duplex unit for cost-saving double-sided printing and 50-sheet reversing document processor for effortless copying of double-sided originals.

Engine speed

KM-1635: 16 pages per minute in A4
8 pages per minute in A3
KM-2035: 20 pages per minute in A4
10 pages per minute in A3

Output quality

600dpi laser technology with 256 greyscale printing for crisp text and realistic photos.

Time to first copy

Class-leading first copy time of 5.9 seconds.



Printing options

The GDI functionality allows printing from any Windows PC.



Input capacity

Fill trays less frequently and use multiple paper types by adding paper capacity of up to 1,250 sheets.



KM-1635/KM-2035

MONOCHROME A3 DIGITAL COPIERS WITH PRINTING OPTION

The KM-1635 and KM-2035 incorporate extremely durable components that guarantee smooth and reliable operation. The systems are designed to last for extremely long hardware maintenance cycles. Thus, the KM-1635 and KM-2035 keep your overall operating costs low and productivity high – at the same time ensuring minimum impact on the environment.

GENERAL

Technology: Kyocera Laser, Mono component
Engine speeds:
KM-1635: Max.16/8 pages per minute A4/A3
KM-2035: Max. 20/10 pages per minute A4/A3
Resolution: 600 x 600 dpi, 256 greyscales
Time to first copy: 5.9 seconds or less
Warm-up time: 20 seconds or less from power on
Power source: AC 220 ~ 24 V, 50/60Hz
Power consumption: Copying: 461W, Stand-by: 104W,
Power-Saving (ECOpower): 43W
Noise (ISO 7779): Copying: 64dB(A), Stand-by: 40dB(A),
Power-Saving (ECOpower): Immeasurably low
Dimensions (W x D x H): 574 x 552 x 502mm
Weight: Main unit: Approx. 39kg
Certifications: TÜV/GS, CE
This product is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

PAPER HANDLING

All paper capacities quoted are based on a paper thickness of max. 0.11mm.

Input capacity: 300-sheet universal paper cassette, 64-105g/m², A3, A4, A5, Ledger, Letter, Legal, Folio
50-sheet multi-purpose tray, 45-160g/m², A3, A4, A5, Ledger, Letter, Legal, Folio, Custom (98 x 147mm to 297 x 432mm)
Max. input capacity with options: 1,250 sheets
Output capacity: 250 sheets face-down

COPY FUNCTIONS

Max. original size: A3
Continuous copying: 1-999
Memory capacity: Standard 32MB, 18MB of bitmapping memory and 14MB of image storage memory, max. 160MB (1 empty DIMM slot for 16, 32, 64, 128MB)
Zoom range: 25-400% in 1% steps
Digital features: Scan-once-print-many, electronic sort copy, rotate sort copy*, automatic paper selection, duplex copying**, combined inch/metric copying, layout mode (2-in-1, 4-in-1), ECOcopy mode, program key mode, management mode
*1 additional paper feeder PF-410 is required
**1 additional duplex unit DU-410 is required
Exposure mode: Auto, manual: 5 or 9 steps
Image adjustments: Text + photo, text, photo

CONTROLLER PRINT FUNCTIONS (OPTIONAL PRINT-X)

Processor: ARM 946-S 150 MHz, FlexRISC
Memory: Standard 32MB, max. 32MB
Emulations: Host based printing system for Windows 98, SE, ME, 2000, XP

INTERFACE

Standard interface: USB 2.0 (Hi-Speed)

OPTIONS

Paper handling

DP-410A Reversing document processor:
50 sheets, duplex scan, 45-160g/m², A3-A5R, Folio, Ledger-Statement-R
PF-410 Paper feeder:
300 sheets, 64-105g/m², A3-A5R, Folio, Ledger-Statement-R (max. three PF-410 can be added)
DU-410 Duplex unit:
60-80g/m², A3-A5R, Folio, Ledger-Statement-R

Memory

Max. 160MB, 1 slot (16, 32, 64, 128MB DIMM)

Others

Platen cover (D): Platen cover

Cabinet:

Cabinet with storage capacity for toner and paper stocks (includes castors)
CB-410 (high cabinet)
CB-415 (low cabinet)

IB-110: External network board

CONSUMABLES

TK-410 Toner-kit:
Microfine toner for 15,000 pages with 6% A4 coverage

Capacity of starter toner for 3,000 pages with 6% A4 coverage



Select the options to suit your needs:

DP-410A Reversing document processor

DU-410 Duplex unit

PF-410 Paper feeder

PF-410 Paper feeder

PF-410 Paper feeder



Product depicted includes optional extras

Your Kyocera Business Partner:

Kyocera Mita (UK) Ltd, 8 Beacontree Plaza, Gillette Way, Reading RG2 0BS
Tel 0118 931 1500, Fax: 0118 931 1108, email: info@kyoceramita.co.uk,
www.kyoceramita.co.uk

Kyocera does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Printed by Beacon Press, a CarbonNeutral® company, using proprietary pureprint® environmental print technology.



CarbonNeutral® company

